



Product Family

Fenzy Aeris Comfort SCBA (AS/NZS)

Self Contained Breathing Apparatus designed for shipping, where such devices are mandatory. It is a user-friendly apparatus allowing a safe and comfortable breathing. Compliant with the most recent MED, SOLAS and AS/NZS 1716 standards.

Honeywell

Product Numbers & Ordering Information		
	Product Numbers	Details
	1823364	Fenzy Aeris Comfort Type 2 SCBA - AS/NZS 1716 Standard Includes medium size full face "Panomask" with silicone headstraps and automatic demand valve "Zenith", without cylinder
	1824587	Fenzy Aeris Comfort Type 2 SCBA - AS/NZS 1716 Standard Includes medium size full face "optiPro" with silicone headstraps and automatic demand valve "Zenith", without cylinder
P	1710650	Replacement Mask Replacement Mask Panomask
	1715029	Replacement Mask Replacement Mask OptiPro Mask
	107573	200 Bar Cylinder 9 Litre, 200 Bar Cylinder with Valve Aluminium Hoop Wrap
	118245	300 Bar Cylinder 6.9 Litre, 300 Bar Cylinder with Valve Carbon Fibre

Fenzy Aeris Comfort SCBA (AS NZS)

Key Features

- · Aramide straps and buckles for rapid adjustment
- Fenzy Zenith Demand Valve with quick connection, automatic positive pressure activation and deactivation
- Adjustable cylinder collar
- Perfect weight distribution of the apparatus on shoulders and hips
- Non-metallic auto-extinguishable and ergonomic back-plate
- Three carry handles and an attachment point for a lifeline
- Fluorescent strips
- Pressure gauge whistle: located close to the ear
- HP/MP reducer with safety valve
- By-Pass button on lung demand valve
- Approved to ASNZS 1716:2012

Recommended Industries/Use

- Chemical Construction Fire Protection Manufacturing Oil and Gas Steel and Metals
- Transportation

Hazards

- Airborne Particulates Biohazard Chemical Confined Space Contamination Fire
- · Gas. Vapors. Smoke

Regulations

• AS/NZS 1716 • Bureau Veritas for Marine use (SOLAS, MSC and new MED) • CE0194/0060 • Referenced by NATO forces

Historical Brand

Fenzy

Specifications

Homologations

AS/NZS 1716, Bureau Veritas for Marine use (SOLAS, MSC and new MED), CE0194/0060, Referenced by NATO forces

Total weight of the complete apparatus without the cylinder

• 4.10 kg

Harness

• Auto-extinguishable straps and buckles for rapid adjustment.

Back-plate

• Non-metallic auto-extinguishable and ergonomic

Cylinder pressure

• 200 or 300 bars

Medium pressure and maximum flow of the reducer

• 7.5 bars; >1200 litres/min

Consumption and activation of the audible alarm

• Air consumption <5 litres; 55 bars

Literature & Documents

Fenzy AERIS COMFORT with Pano Mask

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Respiratory_Protection/Self_Contained_Breathing_Apparatus_(SCBA)/4294998857/1033.aspx

Fenzy AERIS COMFORT with OptiPro Mask

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Respiratory_Protection

Fenzy Aeris Comfort SCBA (AS NZS)

/Self_Contained_Breathing_Apparatus_(SCBA)/4294998856/1033.aspx

Technical Support

Australia/New Zealand

Ph Aus: 1300 139 166 Ph NZ: 0800 322 200

Email: hlshspamarketing@Honeywell.com

RELATED PRODUCTS

© Honeywell International Inc.